

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of Ben A. HITT *et al.*

Examiner: Clow, Lori A.

Patent No.: 7,333,895 B2

Confirmation No.: 4522

Issued: February 19, 2008

Group Art Unit: 1631

Serial No.: 10/628,135

Filed: July 28, 2003

For: **QUALITY ASSURANCE FOR HIGH-THROUGHPUT BIOASSAY METHODS**

U.S. Patent and Trademark Office
Attn: Certificate of Correction Branch
Randolph Building
401 Dulany Street
Alexandria, VA 22314

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT

Applicant respectfully requests a certificate of correction for the above-identified patent due to an error made by the Patent Office. The error can be found in the patent in the following location:

Column 2, line 2, replacea "Soft-ware" with – Software – .

Column 3, line 59, after "spectra." Add the following:

[The centroid is a point identifying the center of all the vectors associated with the chosen features in n-dimensional space.]

The correction is indicated on the attached Form PTO/SB/44 for Certificate of Correction.

The correction is requested due to Patent Office error, and it is believed that no fee is required.


In the event that a fee is required, the Director is hereby authorized to charge any underpayment of the fees associated with this communication under 37 CFR 1.20 or credit any overpayment to Deposit Account No. 50-1283.

Dated: DECEMBER 12, 2008

COOLEY GODWARD KRONISH LLP
ATTN: Patent Group
777 6th Street, NW, Suite 1100
Washington, DC 20001
Tel: (703) 456-8129
Fax: (202) 842-7899

Respectfully submitted,
COOLEY GODWARD KRONISH LLP

By:



Timothy D. Fok
Reg. No. 47,567

387052 v1/RE

Attorney Docket No. CORR-003/01US 302301-2044

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:	Ben A. HITT et al.	Confirmation No.:	4522
Serial No.:	10/628,135	Group Art Unit:	1631
Filed:	July 28, 2003	Examiner:	Clow, Lori A.
For:	QUALITY ASSURANCE FOR HIGH-THROUGHPUT BIOASSAY METHODS		

CERTIFICATE OF CORRECTION

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, line 2, replacea "Soft-ware" with – Software – .

Column 3, line 59, after "spectra." Add the following:

[The centroid is a point identifying the center of all the vectors associated with the chosen features in n-dimensional space.]

MAILING ADDRESS OF SENDER (Please do not use customer number below):

COOLEY GOWARD KRONISH LLP
ATTN: Patent Group
777 6th Street NW, Suite 1100
Washington, DC 20001

Tel: (703) 456-8000
Fax: (202) 842-7899

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.